

ASME PTC 18-2011
(Revision of ASME PTC 18-2002)

Hydraulic Turbines and Pump-Turbines

Performance Test Codes

AN INTERNATIONAL CODE



**The American Society of
Mechanical Engineers**

ASME PTC 18-2011
(Revision of ASME PTC 18-2002)

Hydraulic Turbines and Pump-Turbines

Performance Test Codes

AN INTERNATIONAL CODE



**The American Society of
Mechanical Engineers**

Three Park Avenue • New York, NY • 10016 USA

Date of Issuance: June 10, 2011

The next edition of this Code is scheduled for publication in 2016. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Code. Interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org> as they are issued.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not approve, rate, or endorse any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2011 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

| | |
|---|-----------|
| Notice | v |
| Foreword | vi |
| Committee Roster | viii |
| Correspondence With the PTC 18 Committee | ix |
| Section 1 Object and Scope | 1 |
| 1-1 Object | 1 |
| 1-2 Scope | 1 |
| 1-3 Uncertainties | 1 |
| Section 2 Definitions and Descriptions of Terms | 2 |
| 2-1 Definitions | 2 |
| 2-2 International System of Units (SI) | 2 |
| 2-3 Tables and Figures | 2 |
| 2-4 Reference Elevation, Z_c | 2 |
| 2-5 Centrifugal Pumps | 2 |
| 2-6 Subscripts Used Throughout the Code | 3 |
| Section 3 Guiding Principles | 26 |
| 3-1 General | 26 |
| 3-2 Preparations for Testing | 26 |
| 3-3 Tests | 28 |
| 3-4 Instruments | 29 |
| 3-5 Operating Conditions | 29 |
| 3-6 Data Records | 29 |
| Section 4 Instruments and Methods of Measurement | 32 |
| 4-1 General | 32 |
| 4-2 Electronic Data Acquisition | 32 |
| 4-3 Head and Pressure Measurement | 33 |
| 4-4 Flow Measurement | 37 |
| 4-5 Power Measurement | 58 |
| 4-6 Speed Measurement | 62 |
| 4-7 Time Measurement | 63 |
| Section 5 Computation of Results | 64 |
| 5-1 Measured Values: Data Reduction | 64 |
| 5-2 Conversion of Test Results to Specified Conditions | 64 |
| 5-3 Evaluation of Uncertainty | 65 |
| 5-4 Comparison With Guarantees | 65 |
| Section 6 Final Report | 67 |
| 6-1 Responsibility of Chief of Test | 67 |
| 6-2 Parties to the Test | 67 |
| 6-3 Acceptance Tests | 67 |
| Figures | |
| 2-3-1 Head Definition, Measurement and Calibration, Vertical Shaft Machine With Spiral Case and Pressure Conduit | 20 |
| 2-3-2 Head Definition, Measurement and Calibration, Vertical Shaft Machine With Semi-Spiral Case | 21 |
| 2-3-3 Head Definition, Measurement and Calibration, Bulb Machine | 22 |
| 2-3-4 Head Definition, Measurement and Calibration, Horizontal Shaft Impulse Turbine (One or Two Jets) | 23 |

| | | |
|--------------------------------|---|----|
| 2-3-5 | Head Definition, Measurement and Calibration, Vertical Shaft Impulse Turbine..... | 24 |
| 2-4-1 | Reference Elevation, Z_c , of Turbines and Pump-Turbines..... | 25 |
| 3-5.3-1 | Limits of Permissible Deviations From Specified Operating Conditions in Turbine Mode..... | 30 |
| 3-5.3-2 | Limits of Permissible Deviations From Specified Operating Conditions in Pump Mode..... | 31 |
| 4-3.14-1 | Pressure Tap..... | 35 |
| 4-3.15-1 | Calibration Connections for Pressure Gages or Pressure Transducers..... | 36 |
| 4-4.3.4-1 | Example of Digital Pressure–Time Signal..... | 41 |
| 4-4.4.1-1 | Ultrasonic Method: Diagram to Illustrate Principle..... | 43 |
| 4-4.4.1-2 | Ultrasonic Method: Typical Arrangement of Transducers for an 8-Path Flowmeter in a Circular Conduit..... | 44 |
| 4-4.4.3-1 | Ultrasonic Method: Typical Arrangement of Transducers..... | 46 |
| 4-4.4.4-1 | Distortion of the Velocity Profile Caused by Protruding Transducers..... | 47 |
| 4-4.4.6-1 | Ultrasonic Method: Typical Arrangement of Transducers for an 18-Path Flowmeter in a Circular Conduit..... | 49 |
| 4-4.4.6-2 | Ultrasonic Method: Typical Arrangement of Transducers for an 18-Path Flowmeter in a Rectangular Conduit..... | 50 |
| 4-4.4.11-1 | Locations for Measurements of D | 52 |
| 4-4.5.1-1 | Schematic Representation of Dye Dilution Technique..... | 54 |
| 4-4.5.2.1-1 | Experimental Results: Allowable Variation in Tracer Concentration..... | 55 |
| 4-4.5.5-1 | Typical Chart Recording During Sampling..... | 57 |
| 4-5.1-1 | Three-Wattmeter Connection Diagram..... | 59 |
| 4-5.1-2 | Two-Wattmeter Connection Diagram..... | 60 |
| 4-5.1-3 | Measuring Instrument Burden..... | 61 |
| Tables | | |
| 2-2-1 | Conversion Factors Between SI Units and U.S. Customary Units of Measure..... | 3 |
| 2-3-1 | Letter Symbols and Definitions..... | 4 |
| 2-3-2M | Acceleration of Gravity as a Function of Latitude and Elevation, SI Units (m/s^2)..... | 10 |
| 2-3-2 | Acceleration of Gravity as a Function of Latitude and Elevation, U.S. Customary Units (ft/sec^2)..... | 11 |
| 2-3-3M | Vapor Pressure of Distilled Water as a Function of Temperature, SI Units (kPa)..... | 11 |
| 2-3-3 | Vapor Pressure of Distilled Water as a Function of Temperature, U.S. Customary Units ($lbf/in.^2$)..... | 12 |
| 2-3-4M | Density of Water as a Function of Temperature and Pressure, SI Units (kg/m^3)..... | 13 |
| 2-3-4 | Density of Water as a Function of Temperature and Pressure, U.S. Customary Units ($slug/ft^3$)..... | 14 |
| 2-3-5 | Coefficients I_i , J_i , and n_i | 15 |
| 2-3-6M | Density of Dry Air, SI Units (kg/m^3)..... | 16 |
| 2-3-6 | Density of Dry Air, U.S. Customary Units ($slug/ft^3$)..... | 16 |
| 2-3-7M | Density of Mercury, SI Units (kg/m^3)..... | 17 |
| 2-3-7 | Density of Mercury, U.S. Customary Units ($slugs/ft^3$)..... | 18 |
| 2-3-8M | Atmospheric Pressure, SI Units (kPa)..... | 19 |
| 2-3-8 | Atmospheric Pressure, U.S. Customary Units ($lbf/in.^2$)..... | 19 |
| 4-4.4.2-1 | Integration Parameters for Ultrasonic Method: Four Paths in One Plane or Eight Paths in Two Planes..... | 45 |
| 4-4.4.6-1 | Integration Parameters for Ultrasonic Method: 18 Paths in Two Planes..... | 51 |
| Nonmandatory Appendices | | |
| A | Typical Values of Uncertainty..... | 69 |
| B | Uncertainty Analysis..... | 70 |
| C | Outliers..... | 74 |
| D | Relative Flow Measurement–Index Test..... | 75 |
| E | Derivation of the Pressure–Time Flow Integral..... | 81 |